Journal of the Torrey Botanical Society 131(4), 2004, pp. 423–426

INDEX TO VOLUME 131, 2004

A first approximation of the historical and extant flora of New York City: Implications for native species conservation, 243
ABELLA, SCOTT R., ecological species groups in the southern Appalachian Mountains, 220
Abies fraseri, in an old southern Appalachian forest, 337
Acer rubrum, and old-field colonization, 53
ADKINSON, GREG P., understory vegetation along a productivity gradient, 32
Age-specific and season-specific mollusk damage to seedlings of grassland Asteraceae, 140
Alberta, distribution of *Mnium arizoncum* in, 150
allelopathy, an eco-historical view of, 343
Amaranthaceae, on islands, 105
Annual, local, and individual variation in the inflorescence and fruit production of eastern leatherwood (*Dirca palustris* L. Thymelaeaceae), 292
aposematic coloration, in vascular plants of southeastern Ohio, 252
Arkansas, and flooding impacts on wetland trees, 177
ARONSON, MYLA F. J., plant communities of floodplains forests in New Jersey, 232
Arnica montana, 140
Asclepiadaceae, 8
Astragalus tennesseensis, and genetic diversity, 279
Ahles, H. E., and Flora of Pelham Bay Park, New York, 279

BARRINGER, KERRY, *Cardamine impatiens* L. (Brassicaceae) in New Jersey, 257, and New Jersey pinweeds, 261
BASKIN, CAROL C., Ecological life cycle of *Chaerophyllum procumbens*, 126
BASKIN, JERRY M., Ecological life cycle of *Chaerophyllum procumbens*, 126
bioassay, and allelopathy, 343
biodiversity, in the Torrey Range, 394
biomass allocation, of *Chaerophyllum procumbens*, 126
bluestem, effects on pine savanna soils, 120
bottomland forest, impacts of flooding on tree species, 177
BRAGG, DON C., structure and dynamics of a pine-hardwood old-growth remnant, 320
BROMMIT, ANGELA G., response of forest trees to a major ice storm, 169
BRUELHEIDE, HELGE, mollusck damage to Asteraceae, 140
bryophytes, on the High Line of New York City, 387
BUSING, RICHARD T., red spruce dynamics in a southern Appalachian forest, 337
BUTWELL, SARA, mechanical failure of terminal joints in Cactaceae, 311

Cactaceae, mechanical failure of terminal joints in, 311
CAPPUCCINO, NAOMI, reproductive biology of *Vincetoxicum rossicum*, 8
Cardamine impatiens L. (Brassicaceae) in New Jersey, 257
carbon, mineralization in pine savanna soils, 120
Carya ovata, 177
canonical correlation, and ecological species groups, 220
canopy, loss of, 169
CARLQUIST, SHERWIN, perforation pit remnants in Sarraceniaceae, 1
Celtis laevigata, 177
Centaurea jacea, 140
Centaurea pseudophrygia, 140
Chaerophyllum procumbens, 126
chamise chaparral, and allelopathy, 393
chamise fire-cycle, and allelopathy, 343
CHARBONNEAU, NEIL, response of forest trees to a major ice storm, 169
Cistaceae, in New Jersey, 261
CLEAVITT, NATALIE, distribution of *Mnium arizonicum* in the Rocky Mountains, 150
Clethraceae, 1
coastal sage scrub, and allelopathy, 343
Colonization of old fields by trees vs. shrubs: seed dispersal and seedling establishment 53
Composition, structure, and dynamics of a pine-hardwood old-growth remnant in southern Arkansas, 320
competition, and forest productivity, 32
Compressive/tensile stresses and lignified cells as resistance components in joints of *Opuntia ficus-indica* and *Opuntia parryi* var. *parryi* (Cactaceae) 110
CONTRERAS, THOMAS A., ice storm impacts on understory vegetation, 45, response of forest trees to a major ice storm, 169
conservation biology, of *Astragalus tennesseensis* and *Dalea foliosa*, 279
Controls on the distribution of Mnium arizonicum along an elevational gradient in the Front Ranges of the Rocky Mountains, Alberta, 150
Cornus racemosa, and old-field colonization, 53
coarse woody debris, pine-hardwood old-growth remnant, 320
Crown loss and subsequent branch sprouting of forest trees in response to a major ice storm, 169
Cylindropuntia, relationships among stem segments in, 195
Cyrillaceae, 1

DALE, EDWARD E., JR, distribution of wetland tree species in relation to flooding, 177
Dalea foliosa, and genetic diversity, 279
DARWIN, ANGELA T., ice storm impacts on understory vegetation, 45
DECANDIDO, ROBERT, historical and extant flora of New York City, 243, flora of Pelham Bay Park, New York, 368
dendrochronology, and James Madison's Montpelier Plantation, 204
dioecy, and *Juniperus virginiana*, 187
dispersal, and old-fields, 53, and *Cardamine impatiens*, 257
Distribution of wetland tree species in relation to a flooding gradient and backwater versus streamside location in Arkansas, U.S.A., 177
distribution, of plants in the Torrey Range, 394

disturbance, and ice storm, 45 and 169, and reconstruction, 204
diversity, of New York City flora, 243
DONOVAN, L. A., bunchgrass effects on pine savanna soils, 120
DRUCKENBROD, DANIEL L., forest history of Montpelier, 204

Ecological floristic analyses of vascular plants along a gradient on disturbed serpentinite on opposing slopes in Staten Island, NY, 69
Ecological life cycle of *Chaerophyllum procumbens* variety *shortii* (Apiaceae), a winter annual of the North American Eastern Deciduous Forest, 126
Ecological species groups of South Carolina's Jocassee Gorges, southern Appalachian Mountains, 220
ecosystem classification, and species groups in the southern Appalachian Mountains, 220
Effects of individual bunchgrasses on potential C and N mineralization of longleaf pine savanna soils, 120
endangered species, *Schwalbea americana* 16
endemism, on Islands, 105
EDWARDS, ADRIENNE L., Genetic diversity in *Astragalus tennesseensis* and *Dalea foliosa*, 279
ELIASSON, UNO, Amaranthaceae on the Galápagos and Hawaiian Islands, 105
Ericaceae, 1
EVANS, LANCE S., lignified cells as resistance components in Cactaceae, 110, relationships among stem segments in Cactaceae, 195, mechanical failure of terminal joints in Cactaceae, 311
exotic species, and plant community patterns in New Jersey, 232
extirpation, and New York City flora, 243

FAHRIG, LENORE, ice storm impacts on understory vegetation, 45, response of forest trees to a major ice storm, 169
Factors controlling the fire-induced flowering response of the federally endangered *Schwalbea americana* L. Scrophulariaceae, 16
fern, *Phyllitis scolopendrium*, 161
fire, pine-hardwood old-growth remnant, 320
floodplain forests, and plant community patterns, 232
flora, of Florida shell middens, 93, of Pelham Bay Park, New York, 368 reported from the Torrey Range, 394, of the High Line of New York City, 387
flowering, and *Schwalbea americana* 16,
Forces necessary for mechanical failure of terminal joints of several species of *Cylindropuntia* and *Opuntia* (Cactaceae), 311
forest decline, in an old southern Appalachian forest, 337
Forest history of James Madison's Montpelier Plantation, 204
Forest understory vegetation along a productivity gradient, 32
Fraxinus americana, and old-field colonization, 53

Galápagos Islands, 105
GALDINS, ROBERT, ice storm impacts on understory vegetation, 45
GARDESCU, SANA, colonization of old-fields by trees vs. shrubs, 53
GARGIULLO, MARGARET B., historical and extant flora of New York City, 243
Genetic diversity in *Astragalus tennesseensis* and the federal endangered *Dalea foliosa* (Fabaceae), 279
GLEESON, SCOTT K., understory vegetation along a productivity gradient, 32
Gomphrenoideae, 105
Great Smoky Mountains, red spruce dynamics, 337
GRELLER, ANDREW M., vascular plants along a gradient of serpentinite, 69
GLENN, STEVEN D., *Cardamine impatiens* L. (Brassicaceae) in New Jersey, 257
goldenseal, population loss in Ohio, 305
GORCHOV, DAVID L., population loss of goldenseal, *Hydrastis Canadensis*, 305
ground-flora, ecological species groups in the southern Appalachian Mountains, 220
Growth rates, survivorship, and sex ratio of *Juniperus virginiana* on the New Jersey Piedmont from 1963 to 2000, 187
GRIFFITHS, MEGAN, E., salt spray effects on coastal sandplain heathlands, 23

HALSEY, RICHARD W., eco-historical view of allelopathy, 343
HATFIELD, COLLEEN A., plant communities of floodplains forests in New Jersey, 232
HARTMAN, JEAN MARIE, plant communities of floodplains forests in New Jersey, 232
Hawaiian Islands, Amaranthaceae on, 105
HAWKINS, TRACY S., Ecological life cycle of *Chaerophyllum procumbens*, 126
HAZARD, CHRISTINA, demographic changes in *Phyllitis scolopendrium*, 161
herbal plants, population loss in Ohio, 305
herbivory, mollusks on Asteraceae, 140, and warning coloration on defenses, 252
High Line, New York City, flora of, 387
Hydrastis canadensis, population loss in Ohio, 305
hydrogeomorphic models, and plant community patterns, 232
Hydrophyllum virginianum, 69

ice storm, impacts on understory vegetation, 45, impacts on forest canopy, 169
IMSON, GRACE J., relationships among stem segments in Cactaceae, 195
In search of allelopathy: an eco-historical view of the investigation of chemical inhibition in California coastal sage scrub and chamise chaparral, 343
Influence of climate factors on demographic changes in the New York populations of the federally-listed *Phyllitis scolopendrium* (l.) Newm. var. americana, 161
invasion, on disturbed serpentinite soils, 69
invasive plants, *Cardamine impatiens* in New Jersey, 257, invasive plants, from the Torrey Range, 394

James Madison, and Montpelier, 204
Juniperus virginiana, 187

KAHN-JETTER, Z., lignified cells as resistance components in Cactaceae, 110, relationships among stem segments in Cactaceae, 195, mechanical failure of terminal joints in Cactaceae, 311
KELSALL, NATHAN, demographic changes in *Phyllitis scolopendrium*, 161

KIM, JI EUN, relationships among stem segments in Cactaceae, 195
KINCAID, DWIGHT, vascular flora of Florida shell middens, 93
KIRKMAN, L. KATHERINE, fire induced flowering in *Schwalbea americana*, 16

LADD, DAVID, ice storm impacts on understory vegetation, 45
LAGRAZON, KAREN, lignified cells as resistance components in Cactaceae, 110
LAMONT, ERIC E., flora of Pelham Bay Park, New York, 368, Noteworthy plants reported from the Torrey Range, 394
Lechea, in New Jersey, 261
LEOPOLD, DONALD J., demographic changes in *Phyllitis scolopendrium*, 161
LEVINE, MAUREEN E., vascular plants along a gradient of serpentinite, 69
lignified cells, of *Cylindropuntia* and *Opuntia* (Cactaceae), 311
lichens, on the High Line of New York City, 389
Liquidambar, 177
LITKOUHI, BEHRANG, lignified cells as resistance components in Cactaceae, 110
local extinction, of goldenseal, *Hydrastis Canadensis*, 305
longleaf pine, and *Schwalbea americana*, 16, and carbon and nitrogenmineralization, 120

Mantel test, and ecological species groups, 220
MARKS, PETER L., colonization of old-fields by trees vs. shrubs, 53
masting, in *Dirca palustris*, 292
MCCARTHY, BRIAN, C., aposematic coloration in vascular plants, 252
mechanical stresses, in joints of Cactaceae, 311
MEINERS, S. J., *Juniperus virginiana* on the New Jersey Piedmont, 187
mollusk, damage on Asteraceae, 140
Montpelier, and forest history, 204
moss, 150
Monte Carlo, and forest history, 204
MUIR, ADRANNA, A., historical and extant flora of New York City, 243
MULLIGAN, MARGARET R., population loss of goldenseal, *Hydrastis Canadensis*, 305
multiple working hypotheses, and allelopathy, 343

NAUERTZ, ELIZABETH, variation of inflorescence and fruit production in *Dirca palustris*, 292
native species, of New York City, 243
New Jersey, and *Juniperus virginiana*, 187, and plant community patterns in floodplain forests, 232, and *Cardamine impatiens*, 257
New Jersey pinweeds (*Lechea*, Cistaceae), 261
New York, and vascular plants on serpentinite soils, 69
New York City, historical and extant flora of, 243, flora of Pelham Bay Park, New York, 368, flora on the High Line, 387
NICKRENT, DANIEL L., Genetic diversity in *Astragalus tennesseensis* and *Dalea foliosa*, 279
nitrogen, mineralization in pine savanna soils, 120
NORDEN, A. HEATHER, fire induced flowering in *Schwalbea americana*, 16
Noteworthy plants reported from the Torrey Range—2002 and 2003, 394

Ohio, aposematic coloration in vascular plants of southeastern, 252
Opuntia, relationships among stem segments in, 195
Opuntia fiscus-indica, 110
Opuntia parryi var. *parryi*, 110
Ontario, *Vincetoxicum rossicum* reproductive biology
ORIANS, COLIN M., salt spray effects on coastal sandplain heathlands, 23

PANCRUDO, JACKLYN, lignified cells as resistance components in Cactaceae, 110
Passaic River (New Jersey), and plant community patterns, 232
Picea rubens, in an old southern Appalachian forest, 337
pinweed, in New Jersey, 261
plant communities, of Pelham Bay Park, New York, 368
Population loss of goldenseal, *Hydrastis canadensis* L. (Ranunculacaeae), in Ohio 305
prescribed fire, and *Schwalbea americana* 16,
presence of aposematic (warning) coloration in vascular plants of southeastern Ohio, 252
prickle, and warning coloration, 252
productivity, and species richness, 32
Perforation plate pit membrane remnants in vessels of Sarraceniaceae: possible indicators of relationship and ecology, 1
Phyllitis scolopendrium, 161
Pinus rigida, salt spray effects on coastal sandplain heathlands, 23
Plant community patterns of low-gradient forested floodplains in a New Jersey urban landscape, 232
pollination, rates of, 8
population genetic structure, of *Astragalus tennesseensis* and *Dalea foliosa*, 279

QUINN, J. A., *Juniperus virginiana* on the New Jersey Piedmont, 187

radial-growth averaging, and James Madison's Montpelier Plantation, 204
rare plants, and *Lechea* in New Jersey, 261, *Astragalus tennesseensis* and *Dalea foliosa*, 279, from the Torrey Range, 394
rarity, of goldenseal, *Hydrastis Canadensis*, 305
Red spruce dynamics in an old southern Appalachian forest, 337
Relationship between the number of stem segments and longest stems, retention of terminal stem segments, and establishment of detached terminal stem segments for 25 species of *Cylindropuntia* and *Opuntia* (Cactaceae), 195
Reproductive biology of *Vincetoxicum rossicum* (Kleo.) Barb. (Asclepiadaceae), an invasive alien in Ontario, 8
reproductive biology and *Juniperus virginiana*, 187
reproductive output, in *Dirca palustris*, 292
riparian, impacts of flooding on tree species, 177
Rocky Mountains, distribution of *Mnium arizonicum* in, 150
RUBINO, DARRIN L., aposematic coloration in vascular plants, 252

Salt spray effects on forest succession in rare coastal sandplain heathlands: evidence from field surveys and *Pinus rigida* transplant experiments, 23
salvage logging, pine-hardwood old-growth remnant, 320
Sanguinaria canadensis, 69
savanna, mineralization in soils of, 120
SCHEIDEL, ULRICH, mollusck damage to Asteraceae, 140
SCHNEIDER, EDWARD L., perforation pit remnants in Sarraceniaceae, 1
Schwalbea americana, 16
secondary succession, and *Juniperus virginiana*, 187
seed, germination in relation to ice storm 45, dormancy of *Chaerophyllum procumbins*, 126, dormancy and allelopathy, 343
seedling, establishment in old-fields, 53, and growth following ice storm 45
self compatibility, 8
sex ratios, and *Juniperus virginiana*, 187
shade tolerance, in *Dirca palustris*, 292
SHELBURNE, VICTOR B., ecological species groups in the southern Appalachian Mountains, 220
SHUGART, HERMAN H., forest history of Montpelier, 204
SCHULZ, KURT, variation of inflorescence and fruit production in *Dirca palustris*, 292
species richness, and productivity, 32
spine, and warning coloration, 252
spruce-fir forest, red spruce dynamics, 337
ST. DENIS, MELISSA, reproductive biology of *Vincetoxicum rossicum*, 8
Staten Island, 69
stem segments, in Cactaceae, 195
structure, of forest following ice storm, 45 and 169
STALTER, RICHARD, vascular flora of Florida shell middens, 93, flora on the High Line, New York City, 387
subalpine, *Mnium arizonicum* distributions, 150
succession, and multiple pathways, 53, and ice storm, 169, pine-hardwood old-growth remnant, 320
swamp, flooding impacts tree species, 177

terminal stem joints, of *Cylindropuntia* and *Opuntia* (Cactaceae), 311
The evolutionary patterns of the plant family Amaranthaceae on the Galápagos and Hawaiian Islands, 105
The flora on the High Line, New York City, New York, 387
The Historical and Extant Vascular Flora of Pelham Bay Park, Bronx County, New York 1947–1998, 368
The vascular flora of five Florida shell middens, 93
Theales, 1
thorn, and warning coloration, 252
Torrey Range, plants from, 394
tree mortality, in an old southern Appalachian forest, 337
typification, and *Lechea* in New Jersey, 261

Upper West Gulf Coastal Plain, pine-hardwood old-growth remnant, 320
urban, and plant community patterns in New Jersey, 232, and flora of Pelham Bay Park, New York, 368
understory shrub, variation of inflorescence and fruit production in *Dirca palustris*, 292

Vessel elements, 1
Viburnum dentatum, and old-field succession, 53

WARE, STEWART, distribution of wetland tree species in relation to flooding, 177
warning coloration, in vascular plants of southeastern Ohio, 252
WEST, J. B., bunchgrass effects on pine savanna soils, 120
white-tailed deer, and population loss of goldenseal, *Hydrastis Canadensis*, 305
WILTSHIRE, BETHANY, Genetic diversity in *Astragalus tennesseensis* and *Dalea foliosa*, 279
wild harvested plants, population loss in Ohio, 305
wind disturbance, in an old southern Appalachian forest, 337
windthrow, pine-hardwood old-growth remnant, 320
winter annual, *Chaerophyllum procumbens*, 126
wiregrass, in longleaf pine savanna, 120
Wood anatomy, 1

xylem, lignified cells, 110

YOUNG, STEPHEN M., Noteworthy plants reported from the Torrey Range, 394

ZASADA, JOHN, variation of inflorescence and fruit production in *Dirca palustris*, 292